Linsn Technology

Specification

Controller
TS952

V1.5 2018.Jul

LINSN TECHNOLOGY

Summary:

TS952 is a controller with four network ports, and supports single, double and full color LED screen. It also supports 4K video source input and its maximum capability is 2.6 million pixels.

Official website: www.linsn.com
Add：Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd, Nanshan District, Shenzhen
Tel：+86-0755-86183590/ 4008836968

Features:

1) One Audio signal input;

2) One DVI video signal input;

3) One HDMI video signal input;

4) Supports RCG file read-back function;

5) Supports RCG file broadcasting function;

6) Supports CON file broadcasting function;

7) With four network output ports, supports common video source, like 2560x1024, 1920x1200, 2048x1152, etc;

8) Supports cascade function;

9) Supports brightness auto-adjustment (requires light sensor).

LINSN TECHNOLOGY

Appearance:

Interface introduction	
①	Power button/ indicator
②	Power input：AC100~240V
③	Indicator: red for power; green for signal
④	3.5mm audio input
⑤	USB connector for setup
⑥	HDMI signal input
⑦	DVI signal input
⑧	4 gigabit network ports
⑨	UART-IN：cascade input
⑩	UART-OUT：cascade output
⑪	Light sensor connector for brightness auto-adjustment

Dimensions:

LINSN TECHNOLOGY



Working conditions:

Rated power consumption（W）	20
Working temperature （℃）	-20℃ ~ 75℃
Working humidity（%）	0% ~ 95%
Weight（KG）	3

LINSN TECHNOLOGY

END